

Flomoxef Sodium PRODUCT DATA SHEET

issue date 02/16/2020

Product Name:	Flomoxef Sodium
Product Number:	F041
CAS Number:	92823-03-5
Molecular Formula:	$C_{15}H_{18}F_2N_6NaO_7S_2$
Molecular Weight:	519.451
Form:	powder
Appearance:	white or off-white powder
Source:	synthetic
Description:	Flomoxef Sodium is a β -lactam inhibitor and member of the oxacephem family and exhibits antibiotic properties. It has been used for respiratory infections and bone diseases (ie osteoporosis). It was synthesized in 1982 by Shionogi & Co, Osaka, Japan in order to overcome disulfiram actions.
Mechanism of Action:	Flomoxef Sodium is a β -lactam inhibitor that acts by inhibiting cell-wall synthesis. This is performed by binding to penicillin-binding proteins which prevents the transpeptidation step of peptidoglycan synthesis in bacterial cell walls, leading to the inhibition of cell-wall biosynthesis.
Spectrum:	Flomoxef Sodium is effective for Gram-negative and Gram-positive bacteria including MRSA. It is also effective for <i>Nocardia</i> .
Microbiology Applications	Flomoxef is commonly used in clinical <i>in vitro</i> microbiological antimicrobial susceptibility tests (panels, discs, and MIC strips) against Gram-positive and Gram-negative microbial isolates. Medical microbiologists use AST results to recommend antibiotic treatment options. Representative MIC values include: • <i>B. fragilis</i> $0.5 \mu g/mL - \ge 128 \mu g/mL$
	 MRSA 4 μg/mL - ≥ 16 μg/mL

For a representative list of Flomoxef MIC values, click here.

References:

Gilman AG, Rall TW, and Nies AS (eds) (1990) Goodman and Gilman's The Pharmacological Basis of Therapeutics, 8th ed. Macmillan Publishing Co, New York, NY

Ito M and Ishigami T (1991) The meaning of the development of flomoxef and clinical experience in Japan. Infection 19 (suppl 5):S253-S257 PMID 1783441

Kitahara T et al (2004) Antimicrobial activity of saturated fatty acids and fatty amines against Methicillin-resistant *Staphylococcus aureus*. Biol. Pharm. Bull. 27(9):1321-1326 PMID 15340213

Ruckdeschel G and Eder W (1988) Comparative in *vitro* activity of the new oxacephem antibiotic, flomoxef. Eur. J. Clin. Microbiol. Infect. Dis. 7:687-691 PMID 3143586

Tsuji T, Satoh H, Narisada M, Hamashima Y and Yoshida T (1985) Synthesis and antibacterial activity of 6315-S, a new member of the oxacephem antibiotic. J. Antibiotics 38 (4):466-476 PMID 4008339

Yazawa K, Mikami Y, Uno J, Otozai K, Arai T (1989) *In-vitro* activity of flomoxef, a new oxacephem group antibiotic, against *Nocardia* in comparison with other cephalosporins. J. Antimicrob. Chemother. 24(6):921-925 PMID 2621177

If you need any help, contact us: info@toku-e.com. Find more information on: www.toku-e.com/